

# Patient Information Leaflet



## Pruritus Ani

# Pruritus Ani

## **What is Pruritus Ani?**

Pruritus ani is the common condition of itching or irritation around the anus (back passage). It has many different possible causes, including piles and certain skin conditions. However, the most common cause is a minor leakage from the anus. If small amounts of stool (bowel motion) or liquid mucus leak from the anus, this can irritate the delicate skin around the anus.

## **What you can do to help yourself**

Pruritus is often difficult to treat, and it may take many months of gentle care to improve things. There are some things that you can do to help:

### **Personal Hygiene**

- Pay special attention to hygiene. Be very careful to keep the area as clean as possible, ideally by careful washing and gentle drying at least once a day and after each bowel motion.
- If you do not have access to a bidet, you may find that sitting on the edge of the bath and using a shower head (if available) makes washing easier. If you are out or at work, take a small plastic bottle of water into the toilet with you to wash with after a bowel motion.
- Some people find that cold water is more soothing than warm.
- Never use soaps with a strong perfume or any antiseptics on your bottom.
- Use very soft white toilet paper or moist toilet tissue. Avoid the use of a flannel.
- If you have a problem with leakage from the anus a small amount of damp cotton wool on your finger tip may be used to gently clean into the anus to make sure there is no residue left behind.
- If your leakage continues after wiping, a small plug of cotton wool in the anus may stop the stool from coming out to irritate the skin.
- Dry the area by gentle patting with a soft towel or tissue. Avoid rubbing. If you are very sore you may find that a hairdryer on a low setting is the most comfortable way of drying the area.
- Try to avoid scratching the area, however tempting this may be. If the itching becomes unbearable and you really have to do something to relieve irritation, gently pinch it with your fingers outside your clothes. If you find that you are

scratching in your sleep at night, get some cotton gloves (available from your chemist).

- Never use anything on your bottom except the treatment suggested by your doctor. This includes all creams, deodorants, talcum powder and antiseptics.
- Never put anything in your bath water. In particular, avoid all antiseptics, salt, bath salts, bath oil and bubble bath.
- Wear loose cotton underwear and change daily. Avoid all man-made fabrics coming into contact with your bottom. Women should wear stockings or open-crotch tights rather than regular tights, which can cause sweating. You should also avoid tight trousers or jeans, and sitting on plastic chairs for long periods.
- Wash your underwear in non-biological washing powder, and make sure that all trace of detergent is rinsed out.
- Try to establish a regular bowel habit.
- A diet high in fibre make the stools softer and more likely to leak out. You can try to make your stools firmer, and therefore less likely to leak, by cutting down the amount of fibre in your diet. This means avoiding foods like bran cereals, muesli, beans peas and pulses, nuts and moderate your intake of fruit and vegetables, particularly with skins on.
- If you are leaking soft stool, your doctor may prescribe a low dose of a medicine such as Loperamide to make your stools firmer and less likely to leak.
- Some people find that highly spiced food and alcohol makes irritation worse, and it is worth trying to avoid these, at least for a limited time to see if it helps.
- Use any prescribed treatment exactly as instructed, and keep using it until after the itching has stopped altogether. Wash off the previous application before you put any more on.

### **Contact details:**

**St Mark's Hospital, Watford Road, Harrow, Middlesex HA1 3UJ**

Call centre - 020 8235 4061

[www.stmarkshospital.co.uk](http://www.stmarkshospital.co.uk)

Author: St Mark's Hospital nursing team

Review date: May 2011